The Journal of **THORACIC AND CARDIOVASCULAR SURGERY**

Official organ, The American Association for Thoracic Surgery and The Samson Thoracic Surgical Society

Editor DWIGHT C. McGOON, *Rochester, Minn.*

Associate editors PHILIP E. BERNATZ, *Rochester, Minn.*
MICHAEL P. KAYE, *Rochester, Minn.*

Advisory editorial board
W. GERALD AUSTEN, *Boston*
RONALD J. BAIRD, *Toronto*
ALDO R. CASTANEDA, *Boston*
WILLARD M. DAGGETT, *Boston*
DONALD B. DOTY, *Iowa City*
L. PENFIELD FABER, *Chicago*
VINCENT L. GOTT, *Baltimore*
HERMES C. GRILLO, *Boston*
GERARD A. KAISER, *Miami*
JOHN W. KIRKLIN, *Birmingham*
GEORGE G. LINDESMITH, *Los Angeles*
FLOYD D. LOOP, *Cleveland*
GEORGE J. MAGOVERN, *Pittsburgh*
JAMES R. MALM, *New York*
NAEL MARTINI, *New York*
NOEL L. MILLS, *New Orleans*
DONALD G. MULDER, *Los Angeles*
FREDERICK G. PEARSON, *Toronto*
J. GORDON SCANNELL, *Boston*
DAVID B. SKINNER, *Chicago*
NICHOLAS P. D. SMYTH, *Washington, D. C.*
FRANK C. SPENCER, *New York*
ALBERT STARR, *Portland*
JOE R. UTLEY, *San Diego*
JOHN A. WALDHAUSEN, *Hershey, Pa.*
V. L. WILLMAN, *St. Louis*

Editorial assistant AGNES M. OSBORN, *Rochester, Minn.*

Former Editors
EVARTS A. GRAHAM, *Editor, 1931-1957*
EMILE HOLMAN, *Editor, 1957-1962*
BRIAN BLADES, *Editor, 1962-1977*

Volume 84, July-December, 1982
The C. V. Mosby Company
St. Louis, Mo.

Volume 84
Copyright © 1982 by The C. V. Mosby Company
All rights reserved
Printed in the United States of America

Author index*

A

Abraham KA, 783
Addonizio VP Jr, 28
Agathangelou NE, 579
Akins CW, 219
Alcan K, 843
Alfieri O, 872
Allen DJ, 267
Allen HD, 73
Alvarez Ayuso L, 906
Anderson R, 314 (BC)
Anderson RP, 487 (D), 567 (D)
Ansell J, 387
Antunes MJ, 579, 751
Aouad J, 282
Arbustini E, 738
Arciniegas E, 88, 702 (D)
Arensman FW, 430
Aris A, 848 (D)
Arnold PG, 912 (BC)
Arom KV, 513 (D)
Asai T, 224
Austen WG, 219, 886

B

Babin F, 906
Bahadir I, 315 (BC)
Bahnson HT, 921
Baker EJ, 176 (D)
Balderman SC, 458 (L)
Bargeron LM Jr, 77, 523
Barker GA, 865
Barnard CN, 716
Barner HB, 666 (D)
Bateman T, 413
Bauer A, 626
Beattie EJ Jr, 647 (D)
Becker R, 313 (BC)
Begelman KM, 314 (BC)
Bell JH, 876
Bender HW Jr, 515, 522 (D)
Benfield JR, 47 (D), 373, 647 (D)
Benzing G III, 430
Berman D, 413
Bernatz PE, 861
Berry BE, 153 (L)
Billingham ME, 122
Binette JP, 458 (L)
Bing OHL, 398
Bircks W, 626, 704
Björk VO, 534 (D)
Blackstone EH, 77, 523
Bleese NM, 676 (D)
Blieden LC, 102
Boe SL, 678
Boedker A, 59
Bonan R, 297
Bonchek LI, 813 (D), 921
Borggrefe M, 704
Borkon AM, 876
Borst HG, 548, 553 (D), 714 (D), 813 (D)
Bortolotti U, 451 (BC), 738
Bourlon F, 150 (BC)
Braimbridge M, 503 (D), 683 (D), 688 (D), 695 (D)
Brandt B III, 138
Bregman D, 426
Breithardt G, 704
Breivik K, 787
Brewer LA III, 833 (D)
Breyer RH, 49, 367
Bristow MR, 122
Brito JM, 153 (L)
Brown JW, 560
Brown SE, 933 (L)
Buckberg GD, 667
Buckley MJ, 219, 250, 805
Bugyi H, 667
Burgos R, 906

C

Campbell CD, 392, 716
Carpentier A, 534 (D)
Carpi A, 23
Carter R, 44
Cartier P, 455 (BC)
Cartmill TB, 66
Castaneda AR, 178, 437
Castrini G, 575
Catinella FP, 807
Cavalcanti C, 633 (BC)
Celermajer JM, 66
Cerruti MM, 829
Chaitman BR, 297
Chalant C-H, 744
Chang L-F, 28
Chang VP, 755
Chaux A, 413
Cherian KM, 783
Chiavarelli M, 23
Chiavarelli R, 23
Chin AJ, 437
Choplin RH, 367
Christlieb IY, 689
Chun PKC, 773
Chung GKT, 523
Cicconetti F, 569
Clark RE, 689
Clavel A, 843
Cleveland RJ, 921
Cohn LH, 353
Colman RW, 28
Colsen PR, 579, 751
Colvin S, 455 (BC)
Connors JP, 349
Conti VR, 243
Cooper DKC, 716
Cooper JD, 204, 487
Cooper PH, 734
Copeland JG, 543
Cordell AR, 49, 367
Cox JL, 554
Craver JM, 342
Crawford ES, 654 (D)
Crawford FA Jr, 35
Cromartie RS, 560
Culliford A, 455 (BC)
Cunningham JN Jr, 676 (D), 807, 933 (L)
Cunningham RT, 172, 176 (D)
Cutler B, 387

D

Daggett WM, 219, 306, 886
Dajee A, 377
Dajee H, 377
Danielson GK, 113, 230, 446
Daskalopoulos DA, 187
David I, 178, 186 (D)
Davidson JF, 601
Davidson KG, 601
Davis KB, 334
Dearing JP, 35
DeBakey ME, 4
DeCaro L, 176 (D)
Del Campo C, 631 (BC)
Delcan JL, 297
de Leval MR, 154 (L)
De Robertis M, 413
Deschner WP, 560
Deslauriers J, 496 (D)
de Vivie ER, 702 (D)
Dewanjee MK, 39
Dickstein RA, 382
DiDio LJA, 267
Diethrich EB, 315 (BC)
Dion RAE, 145 (BC)
Dixon CM, 678
Doherty P, 387
Dor V, 150 (BC)
Doty DB, 138
Duboys Y, 727
Duda AM, 856

E

Ebert PA, 696
Edmunds LH Jr, 28, 255 (C), 359, 800
Edwards H, 667
Edwards WD, 97, 230, 446
Eich RH, 382
Eigen H, 200
Einstein H, 172
El-Baz NM, 489, 823
Eldred WJ, 48 (D)
Ellis RJ, 666 (D)
Engedal H, 787
Epstein DM, 359
Erdmann AJ III, 886
Ergin MA, 153 (L), 649, 655 (D)
Ewing SL, 641

F

Faber LP, 489, 823, 841 (D)
Factor SM, 313 (BC)
Faichney A, 601
Farina M, 192
Faro RS, 453 (BC)
Farooki ZQ, 88
Fasoli G, 451 (BC)
Feinberg H, 406, 815
Feldt RH, 97, 230
Ferdman A, 204
Ferguson TB, 161, 921
Ferguson TB Jr, 554
Figuera D, 906
Finkelmeier BA, 257, 282
Fiore AC, 560, 568 (D)
Fisher CA, 28

*July, pp. 1-160; August, pp. 161-324; September, pp. 325-480; October, pp. 481-640; November, pp. 641-798; December, pp. 799-956. *Key:* In this index, (BC) = brief communication, (C) = commentary, (D) = discussion, and (L) = letter to the Editor.

Fisher LD, 334
Flemma RJ, 854 (D)
Floten S, 455 (BC)
Foster E, 192
Fournier L, 387
Francis PD, 430
Franklin A, 398
Franzone AJ, 843
Frater RWM, 313 (BC), 512 (D), 595
Freeman RW, 8
Frimpong-Boateng K, 110
Fritz JK, 334
Fruehan CT, 382

G

Gaasch WH, 398
Gabbay S, 313 (BC)
Gallucci V, 451 (BC), 738
Gani KS, 762
Garcia-Dorado D, 297
Garzon AA, 152 (L), 829, 833 (D)
Gill CC, 856, 860 (D)
Gingell RL, 187
Ginsburg R, 122
Ginsberg RJ, 152 (L)
Goldberg M, 204
Goldberg SJ, 73
Golding ME, 829
Goor DA, 237
Gracey DR, 861
Graham TP, 515
Gray R, 413
Green EW, 88
Green GE, 813 (D), 848 (D), 854 (D), 860 (D)
Griepp RB, 153 (L), 649
Grosfeld JL, 200
Gruentzig AR, 342
Grunkemeier GL, 144 (C)
Guilmette JE, 685
Guinto R, 649

H

Hagler DJ, 113
Hakimi M, 88
Hald A, 59
Hallidie-Smith KA, 779
Hammon JW Jr, 515, 821 (D)
Hanlon CR, 6
Hardy JD, 6
Harman PK, 734
Harrison DC, 122
Hassoulas J, 716
Hatcher CR Jr, 342
Haverich A, 548
Hawker RM, 66
Heggtveit HA, 849
Heimbecker RO, 725 (D)
Helmsworth JA, 430
Heydorn WH, 567 (D)
Hickey PR, 805
Higgins GA Jr, 481
Highison GJ, 267
Hilaris BS, 834
Hines MO, 8
Hinrichs S, 377
Hiratzka LF, 138
Hiro S, 420
Hochberg MS, 219
Holder TM, 503 (D)
Holman WL, 554, 559 (D)
Huang G-j, 325
Hubbard SG, 515
Hudspeth AS, 49, 367
Huhta JC, 97, 154 (L)
Humphrey EW, 641
Humphrey SM, 16

I

Iascone C, 569
Ikeshita M, 554
Inokuchi K, 62
Inoue K, 224
Iwasiuk GW, 44

J

Jambroes G, 145 (BC)
Jarreau MM, 727
Jaumin P, 744
Javid H, 453 (BC)
Jenkins CD, 585, 595
Jenkins JG, 865
Jensik RJ, 489, 496 (D)
John TA, 783
Johnson DC, 66
Johnston FR, 49, 367
Jones EL, 342, 702 (D)
Jones M, 73, 876
Jones RH, 151 (L)
Jones RN, 11
Jourdan J, 150 (BC)
Judson JP, 113
Juffe A, 906

K

Kai H, 62
Kaiser DL, 257
Kaiser G, 334
Kao RL, 243
Kaplan S, 430
Katz AS, 359
Kaye MP, 39
Keane JF, 437
Keehn RJ, 481
Kennedy JH, 647 (D)
Kennedy JW, 334
Keon WJ, 849, 855 (D)
King H, 560
King M, 387
King SB III, 342
Kinsley RH, 579, 751
Kirklin JK, 513 (D), 523
Kirklin JW, 77, 523, 535 (D)
Kirschner PA, 841 (D)
Kirsh MM, 921
Kitazume H, 856
Kittle CF, 489, 823
Klein MD, 585
Kloner R, 353
Knopp EA, 807
Kohler J, 406, 815
Kolvenbach R, 704
Kong DL, 250
Kono K, 250
Koopot R, 315 (BC)
Körfer R, 626
Kovarik JL, 840 (D)
Koyama Y, 224
Kramer JR, 856
Kreitmann P, 150 (BC)
Krishna G, 200
Kristensen D, 59
Kron IL, 734
Krone RJ, 349
Kuentz VA, 73
Kusakawa S, 224

L

Laks H, 609
Landymore R, 455 (BC)
Laraia P, 398
Larson DF, 543
Laschinger JC, 807, 814 (D)
Lavee J, 237
Lavi Y, 373
Lawless CE, 779
Lawrence GH, 47 (D), 502 (D)
Lease JG, 554
LeBreton G, 815
Leca F, 727
Lecompte Y, 727
Leduc J, 849
Lee M, 413
Lessana A, 813 (D)
Levine FH, 219, 250
Levine H, 716
Levitsky S, 406, 420, 676 (D), 815, 822 (D)
Levy MJ, 102
Lewis BS, 579
Lillington G, 377
Lim RA, 44, 48 (D)
Lima O, 204
Lin X-s, 325
Lins MFA, 633 (BC)
Lins RFA, 633 (BC)
Litwak RS, 154 (L)
Loop FD, 856, 921
Lopez-Bescos L, 297
Losman JG, 716, 725 (D)
Lower RR, 725 (C)
Luck SR, 497, 503 (D)
Ludbrook PA, 349
Luhmer I, 110
Luk SK, 204
Lukman H, 631 (BC)
Lurie KG, 122
Lutz JF, 291
Lynn AM, 865

M

Maatz W, 548
McAllister HA Jr, 773
Macartney FJ, 154 (L)
McCormack PM, 834, 842 (D)
McDonagh PF, 609
McFaul RC, 154 (L)
McGoon DC, 230, 446
McKay R, 77, 917
McKenzie FN, 631 (BC)
MacKenzie JW, 841 (D)
Magovern GJ, 146 (BC), 149 (BC), 678
Maher TD, 149 (BC)
Mair DD, 446
Mammana RB, 420
Marino B, 23
Mark JBD, 47 (D)
Marrin CAS, 426
Marshall RB, 367
Martini N, 834
Masek MA, 122
Matloff J, 413
Matthews MJ, 481
Mayer JE Jr, 641, 647 (D)
Maynard C, 334
Mazzucco A, 451 (BC)
Mehta H, 631 (BC)
Mentzer RM Jr, 257
Merrill DL, 47 (D)
Meyer JA, 487 (D)
Milano A, 451 (BC), 738
Miley RW, 489
Miller CL, 359
Mills NL, 520 (D)
Mills SA, 49, 367
Mills SE, 734
Minor GR, 734
Miranda RP, 633 (BC)
Misbach GA, 696, 703 (D)
Mobarhan S, 575
Modini C, 569
Mohr R, 237
Molina JE, 513 (D), 762
Moran JM, 559 (D), 714 (D)
Morgan E, 204
Mota JH, 633 (BC)
Muirhead J, 515
Murphy DA, 342
Myers RT, 49, 367
Myers WO, 334

N

Nagasaki F, 834
Najafi H, 453 (BC)
Narumi J, 224
Nathan IM, 807
Nayler WG, 897
Neveux JY, 727
Neville WE, 655 (D)

Nijsen-Karelse M, 145 (BC)
Nishi T, 685
Nolan SP, 257, 282, 734
Norwood WI, 437
Novitsky D, 716

O

Ochs RH, 359
Ochsner JL, 9
O'Connor J, 649
Oelert H, 110
Ofstein LC, 560
Ohm O-J, 787
Okadigwe CI, 152 (L)
Okamoto F, 667
Okudaira Y, 62
Olearchyk AS, 149 (BC)
Olley PM, 192
Ophoven JJ, 641
Orthner HF, 921
Ostermeyer J, 704, 715 (D)
Overton JH, 66

P

Pacifico AD, 77, 523
Pairolero PC, 861
Paladugu RR, 373
Pallis C, 779
Pappalardo G, 575
Parker FB Jr, 382
Parker J, 773
Parrilla N, 387
Passariello R, 569
Payne WS, 211
Peigh PS, 560
Pellom GL, 11
Pemberton JH, 211
Pennelli N, 738
Perry BL, 88
Peters RM, 827 (D)
Peterson KA, 39
Peterson MB, 250
Peyton RB, 11
Philbin DM, 250, 805
Piehler JM, 505, 861
Pierce JE, 876
Pieroni DR, 73, 187
Plachetka J, 420
Plokker M, 872
Pluth JR, 505
Plzak L, 130
Poirier RA, 382
Ponlot R, 744
Potts JL, 382
Puga FJ, 97, 154 (L), 446
Puig LB, 267

Q

Quaid TP, 153 (L)
Quero M, 153 (L)

R

Raffensperger JG, 497
Ramsey JD, 145 (BC)
Rankin RN, 933 (L)
Rashkind WJ, 619
Reagan R, 3
Reeder GS, 912 (BC)
Reimer R, 911 (BC)
Reitz BA, 122
Renner JW, 933 (L)
Replogle RL, 392, 716
Ricketts RR, 497
Riker JB, 933 (L)
Ritter DG, 113
Rivera R, 297
Roberts C, 353
Rodewald GW, 688 (D)
Roe BB, 503 (D)
Roland J-MA, 73, 187
Rose EA, 426
Rosenbaum DS, 815
Rosenfeldt FL, 656, 666 (D)
Rosenkranz ER, 667, 677 (D)
Ross DN, 917
Rufilanchas JJ, 906
Russell DH, 543

S

Sade RM, 35
Sahn DJ, 73
Sakert TA, 678
Sala A, 744
Sandza JG, 349
Santamore W, 130
Sapsford RN, 779
Sarr MG, 211
Savageau JA, 585, 595
Schachner A, 102
Schaff HV, 186 (D), 505, 912 (BC)
Schaper J, 457 (L)
Schoevaerdts J-C, 744
Schreiber JT, 430
Schulte HD, 704
Schwartz DC, 430
Scott RH, 200
Sears NS, 560
Seelye RN, 16
Segadal L, 787
Seipel L, 704
Selle JG, 145 (BC)
Serry C, 453 (BC)
Shaffer B, 886
Shaher R, 192
Shanahan MX, 755
Shao L-f, 325
Shapira N, 505, 514 (D)
Shaw RC, 349
Shematek JP, 73
Shields TW, 481, 488 (D), 647
Shiroma K, 224
Shkolnik A, 497
Sideris EB, 192
Sill JC, 505
Silverman NA, 406, 815
Simonetti G, 569
Singh AK, 911 (BC)
Singh RN, 146 (BC)
Sink JD, 11
Skinner DB, 647 (D)
Skinner JR, 282
Smallhorn JF, 154 (L)
Smith PK, 554
Soto B, 523
Spadaro J, 398
Spencer FC, 455 (BC), 807, 921
Spooner E, 192
Spotnitz HM, 151 (L), 426
Stanton B-A, 585, 595
Starr A, 144 (C), 522 (D)
Stertzer SH, 843
Stipa S, 569
Strauss JF III, 28
Strom J, 313 (BC)
Stroud M, 35
Studer M, 523
Svenson RH, 145 (BC)
Symbas PN, 291
Suaudeau J, 886
Subramanian S, 187
Sugimachi K, 62
Suma K, 224
Sumner HW, 641
Szymanski I, 387

T

Takeuchi Y, 224
Tegtmeyer CJ, 257
Templeton JY III, 130
Thanavaro S, 349
Tharion J, 66
Thatcher WC, 489
Thiene G, 451 (BC), 738
Thomas JL, 382
Thomas PA, 420
Thubrikar M, 282
Tirindelli-Danesi D, 569
Toscano M, 23
Treen DC, 8
Trehan N, 455 (BC)
Trenkner M, 406
Trusler G, 192, 865
Tsuji T, 224
Tu TV, 727
Turley K, 696

U

Ueo H, 62
Ullyot DJ, 696
Urschel HC, 655 (D)

V

Valdes-Cruz LM, 73
Valente M, 451 (BC), 738
Valfré C, 451 (BC)
Vander Salm T, 387
Van Devanter SH, 353
Van Praagh R, 178
Van Trigt P, 11
Villagrá F, 153 (L)
Vinten-Johansen J, 667
Virmani R, 773
Vlasis SE, 291
Voss DM, 762

W

Wada J, 503 (D)
Wakabayashi A, 685
Waldhausen JA, 701 (D), 782 (C)
Walker AN, 734
Walker ID, 601
Wallsh E, 843
Walterbusch G, 110, 548
Watkins WD, 250, 255 (C)
Weber TR, 200
Wechsler AS, 11
Weinstein GS, 843, 848 (D)
Weintraub RM, 398
Weldon CS, 521 (D)
Welsher W, 823, 827 (D)
Wernly JA, 392
Wheatley DJ, 601
White RD, 505
Wiener L, 130
Wilkins EW Jr, 457 (L)
Williams DB, 230, 446
Williams EH, 243
Williams WG, 733 (D)
Willman VL, 38 (C)
Windsor HM, 755
Wolner E, 552 (D)
Womble JR, 543
Wood AE, 865
Wood D, 353
Wright JO, 138
Wright PW, 933 (L)
Wu Y-k, 325

Y

Yoshikawa T, 224

Z

Zacharopoulos L, 291
Zannini L, 727
Zerbini EJ, 267
Zerilli M, 569
Zhang Y-d, 325

Subject index*

A

Achalasia: *See* New approach to esophagocardiomyotomy: report of forty cases (Castrini et al.), 575
Acute coronary occlusion, limitation of myocardial infarct size after surgical reperfusion for (Wood et al.), 353
endocarditis: surgical treatment of aortic regurgitation and aortico–left ventricular discontinuity (Symbas et al.), 291
hepatic failure following cardiac operation in children (Jenkins et al.), 865
Adenosine catabolism, improved functional recovery of ischemic myocardium by suppression of (Humphrey and Seelye), 16
triphosphate, improved tolerance to ischemia in hypertrophied myocardium by preischemic enhancement of (Peyton et al.), 11
Adhesive, fibrin: important hemostatic adjunct in cardiovascular operations (Borst et al.), 548
Affairs, perfusionist, proposed statement on, 636
American Association for Thoracic Surgery: Announcement of 1983 Annual Meeting, 157, 321, 477, 637, 795, 935
Annual meeting notes, 318
Graham Traveling Fellowship, 156, 320
Roster of members, 459
Board of Surgery: Notice of Certification of Special Qualifications in General Vascular Surgery, 936
of Thoracic Surgery: Notice of 1983 examination, 160, 324, 480, 640, 798, 938
Anastomosis, cava-pulmonary, double: orthoterminal correction of congenital heart disease (Lins et al.), 633 (brief comm.)
Anesthesia, one-lung, new technique for: high-frequency ventilation with uncuffed endobronchial tube (El-Baz et al.), 823
Aneurysm(s) of aortic arch, experience with profound hypothermia and circulatory arrest in treatment of: aortic arch replacement for acute arch dissections (Ergin et al.), 649
mycotic, of patch repair of coarctation, subclavian flap repair after (Singh and Reimer), 911 (brief comm.)
thoracic, traumatic, chronic: influence of operative treatment on natural history: analysis of reported cases, 1950-1980 (Finkelmeier et al.), 257
Aneurysmectomy, left ventricular, late mediastinal infection and pseudoaneurysm following: repair utilizing pectoralis major muscle flap (Schaff et al.), 912 (brief comm.)
Aneurysmectomy—Cont'd
simple, versus electrophysiologically guided procedures: surgical treatment of ventricular tachycardias (Ostermeyer et al.), 704
Angell-Shiley porcine xenograft, hemodynamic evaluation of (Delcan et al.), 297
Angiography, coronary, complication of: urgent myocardial revascularization for dissection of left main coronary artery (Connors et al.), 349
Angioplasty, coronary, transluminal, operative, as adjunct to coronary artery bypass, use of (Wallsh et al.), 843
percutaneous, unsuccessful, surgical revascularization following (Murphy et al.), 342
Anomalous venous connection of left lung, left-to-right shunt at atrial level due to: report of seven cases (Bauer et al.), 626
Anulus, aortic, narrow, combined with implantation of St. Jude Medical valve, patch enlargement of (Magovern et al.), 149 (brief comm.)
Aorta, ascending, simplified approach to management of bleeding operative sites on (Diethrich et al.), 315 (brief comm.)
calcified, during myocardial revascularization, management of (Landymore et al.), 455 (brief comm.)
Aortic anulus, narrow, combined with implantation of St. Jude Medical valve, patch enlargement of (Magovern et al.), 149 (brief comm.)
arch, aneurysms of, experience with profound hypothermia and circulatory arrest in treatment of: aortic arch replacement for acute arch dissections (Ergin et al.), 649
bioprostheses in vivo, analysis of design and dynamics of (Thubrikar et al.), 282
conduit, left ventricular– (Ergin and Griepp), 153 (letter); Reply (Berry and Quaid), 153
mitral, and double valve replacement in 94 patients, results of: cardiac operation during active infective endocarditis (Lewis et al.), 579
regurgitation and aortico–left ventricular discontinuity, surgical treatment of: acute endocarditis (Symbas et al.), 291
intermittent, following aortic valve replacement with Hall-Kaster prosthesis (Antunes et al.), 751
valve replacement in paraplegic man (Begelman and Anderson), 314 (brief comm.)
prognostic significance of development of left bundle conduction defects following (Thomas et al.), 382
Aortico–left ventricular tunnel: collective review (Levy et al.), 102
Aortoplasty, subclavian flap, ischemic injury to brachial plexus following (Lawless et al.), 779

*July, pp. 1-160; August, pp. 161-324; September, pp. 325-480; October, pp. 481-640; November, pp. 641-798; December, pp. 799-956.

Arch, aortic, aneurysms of, experience with profound hypothermia and circulatory arrest in treatment of: aortic arch replacement for acute arch dissections (Ergin et al.), 649
Arrest, cardioplegic, experimental relationship between myocardial temperature and recovery after (Rosenfeldt), 656
in multiple coronary bypass grafting, enhanced protection of myocardial function by systemic deep hypothermia during (Goor et al.), 237
circulatory, profound hypothermia with: nine years' clinical experience (Tharion et al.), 66
in treatment of aneurysms of aortic arch, experience with: aortic arch replacement for acute arch dissections (Ergin et al.), 649
by multidose cold blood cardioplegic infusions, benefits of normothermic induction of blood cardioplegia in energy-depleted hearts, with maintenance of (Rosenkranz et al.), 667
potassium, on myocardial metabolism and function, effect of temperature during (Kao et al.), 243
rapid, with high flow and pressure, method of: How should clear cardioplegia be administered? (Molina et al.), 762
Arterial lesions, coronary, resulting from Kawasaki's disease in children, early and late postoperative studies in (Suma et al.), 224
Arteriovenous fistulas, pulmonary, multiple (Rankin), 933 (letter); Reply (Brown et al.), 933
Artery(ies) bypass, coronary, alone and myectomy combined with coronary artery bypass, results of: idiopathic hypertrophic subaortic stenosis and coronary atherosclerosis (Gill et al.), 856
in Coronary Artery Surgery Study (CASS), association of sex, physical size, and operative mortality after (Fisher et al.), 334
use of operative transluminal coronary angioplasty as adjunct to (Wallsh et al.), 843
grafting, coronary, isolated, in patients seventy years of age and older: early and late results (Hochberg et al.), 219
coronary, circumflex, in three patients undergoing mitral valve operation, suture obliteration of: role of left dominant or codominant coronary artery (Virmani et al.), 773
conductive, effects of cardioplegic solutions on (Chiavarelli et al.), 23
left main, urgent myocardial revascularization for dissection of: complication of coronary angiography (Connors et al.), 349
great, transposition of, complete, left ventricular wall thickness in (Huhta et al.), 97
and left ventricular outflow obstruction, repair of common atrioventricular canal associated with (Alfieri and Plokker), 872
innominate and left carotid, traumatic avulsion of: successful repair (Wernly et al.), 392
pulmonary, hypoplastic, and right ventricle, establishment of continuity between (Litwak), 154 (letter); Reply (Puga), 154
Ascending aorta, simplified approach to management of bleeding operative sites on (Diethrich et al.), 315 (brief comm.)
Atheroembolism, perioperative myocardial infarction caused by (Keon et al.), 849
Atherosclerosis, coronary, and idiopathic hypertrophic subaortic stenosis: results of coronary artery bypass alone and myectomy combined with coronary artery bypass (Gill et al.), 856
Atresia, pulmonary, with intact ventricular septum, left ventricular function and compliance in (Sideris et al.), 192
Atrial level due to anomalous venous connection of left lung, left-to-right shunt at: report of seven cases (Bauer et al.), 626
pressure, left, in early postsurgical period, inaccuracy of pulmonary capillary wedge pressure when compared to (Mammana et al.), 420
septal defect, residual shunting in early postoperative period after closure of: echocardiographic comparison of patch materials (Valdes-Cruz et al.), 73
tamponade, right, complicating cardiac operation: clinical, hemodynamic, and scintigraphic correlates (Bateman et al.), 413
trans-, correction of origin of both great vessels from right ventricle with pulmonary hypertension (Cherian et al.), 783
Atrioventricular canal, common, associated with transposition of great arteries and left ventricular outflow obstruction, repair of (Alfieri and Plokker), 872
complete, in infancy, repair of (Chin et al.), 437
potentially parachute mitral valve in: pathological anatomy and surgical importance (David et al.), 178
malformation in first year of life, repair of (Bender et al.), 515
conduction by multiple discrete cryolesions, elective prolongation of: new technique for treatment of paroxysmal supraventricular tachycardia (Holman et al.), 554
septal (canal) defects, determinants of early and late results of repair of (Studer et al.), 523
Autografts, bronchial, totally ischemic, with omental pedicle flaps in dogs, successful revascularization of (Morgan et al.), 204
Autotransfused red blood cells recovered from surgical field during cardiovascular operations, survival of (Ansell et al.), 387
Avulsion, traumatic, of innominate and left carotid arteries: successful repair (Wernly et al.), 392

B

Beating and fibrillating heart, comparison of: effects of perfusion pressure on myocardial performance, metabolism, wall thickness, and compliance (Spadaro et al.), 398
Bioprostheses, aortic, in vivo, analysis of design and dynamics of (Thubrikar et al.), 282
Björk-Shiley prosthesis, thrombosed, surgical treatment of: thrombectomy. Report of seven cases and review of literature (Alvarez Ayuso et al.), 906
thrombosis of: illustrative cases and review of literature (Wright et al.), 138
Bleeding operative sites on ascending aorta, simplified approach to management of (Diethrich et al.), 315 (brief comm.)
Blockade, endobronchial (Okadigwe and Garzon), 152 (letter); Reply (Ginsberg), 152
Blood cardioplegia, cold, to protect against coronary microcirculatory injury due to ischemia and reperfusion, use of (McDonagh and Laks), 609
in energy-depleted hearts, with maintenance of arrest by multidose cold blood cardioplegic infusions, benefits of normothermic induction of (Rosenkranz et al.), 667
cells, red, autotransfused, recovered from surgical field during cardiovascular operations, survival of (Ansell et al.), 387
flow, myocardial, regional, in left ventricular hypertrophy: experimental investigation in Newfoundland dogs with congenital subaortic stenosis (Borkon et al.), 876

Blunt tracheobronchial disruption illustrated by seven cases, clinical spectrum of (Mills et al.), 49
Brachial plexus following subclavian flap aortoplasty, ischemic injury to (Lawless et al.), 779
Bronchial autografts, totally ischemic, with omental pedicle flaps in dogs, successful revascularization of (Morgan et al.), 204
Bronchogenic carcinoma, survival in patients undergoing tracheal sleeve pneumonectomy for (Jensik et al.), 489
Bundle conduction defects, left, following aortic valve replacement, prognostic significance of development of (Thomas et al.), 382
Bypass, cardiopulmonary, hydroxyethyl starch in priming fluid for (Sade et al.), 35
performed with membrane and bubble oxygenators, fate of indium 111–labeled platelets during (Peterson et al.), 39
pulsatile. *See* Should we pulse? (Philbin et al.), 805 (edit.)
pulseless (Edmunds), 800 (edit.)
with and without pulsatile flow, thromboxane and prostacyclin changes during (Watkins et al.), 250
coronary artery, alone and myectomy combined with coronary artery bypass, results of: idiopathic hypertrophic subaortic stenosis and coronary atherosclerosis (Gill et al.), 856
in Coronary Artery Surgery Study (CASS), association of sex, physical size, and operative mortality after (Fisher et al.), 334
use of operative transluminal coronary angioplasty as adjunct to (Wallsh et al.), 843
esophageal, for unresectable carcinoma of thoracic esophagus, problems in (Sugimachi et al.), 62
grafting, coronary artery, isolated, in patients seventy years of age and older: early and late results (Hochberg et al.), 219
multiple, enhanced protection of myocardial function by systemic deep hypothermia during cardioplegic arrest in (Goor et al.), 237
operations, cardiopulmonary, prostacyclin in (Faichney et al.), 601

C

Ca^{++} sequestration, myocardial, with nifedipine cardioplegia, control of (Boe et al.), 678
Calcified aorta during myocardial revascularization, management of (Landymore et al.), 455 (brief comm.)
Canal, atrioventricular, common, associated with transposition of great arteries and left ventricular outflow obstruction, repair of (Alfieri and Plokker), 872
complete, in infancy, repair of (Chin et al.), 437
potentially parachute mitral valve in: pathological anatomy and surgical importance (David et al.), 178
malformation, atrioventricular, in first year of life, repair of (Bender et al.), 515
(septal) defects, atrioventricular, determinants of early and late results of repair of (Studer et al.), 523
Cancer of esophagus in China, 1940-1980, progress in study and surgical treatment of (Wu et al.), 325 (Honored Guest's Address)
lung, canine, experimental, hypertrophic pulmonary osteoarthropathy in (Lavi et al.), 373
TNM staging in: role of computed tomography (Modini et al.), 569
undifferentiated, influence of histologic type on survival after curative resection for (Mayer et al.), 641
Canine lung cancer, experimental, hypertrophic pulmonary osteoarthropathy in (Lavi et al.), 373
Capillary wedge pressure, pulmonary, when compared to left atrial pressure in early postsurgical period, inaccuracy of (Mammana et al.), 420
Carcinoma, bronchogenic, survival in patients undergoing tracheal sleeve pneumonectomy for (Jensik et al.), 489
of lung, small cell, surgical resection in management of (Shields et al.), 481
scar, pulmonary, prognosis of (Ochs et al.), 359
of thoracic esophagus, unresectable, problems in esophageal bypass for (Sugimachi et al.), 62
undifferentiated, limited-stage, of lung, reappraisal of: Does Stage I small cell undifferentiated carcinoma exist? (Kron et al.), 734
Cardiac fibroma: long-term survival after excision (Williams et al.), 230
operation(s) during active infective endocarditis: results of aortic, mitral, and double valve replacement in 94 patients (Lewis et al.), 579
in children, acute hepatic failure following (Jenkins et al.), 865
direct left ventricular pressure monitoring in select patients after (Selle et al.), 145 (brief comm.)
elective, neuropsychological dysfunction following. I. Early assessment (Savageau et al.), 585
II. Six-month reassessment (Savageau et al.), 595
iron therapy after: one prescription less? (Del Campo et al.), 631 (brief comm.)
new temporary pacing lead for use after (Breivik et al.), 787
nifedipine in (Nijsen-Karelse et al.), 145 (brief comm.)
right atrial tamponade complicating: clinical, hemodynamic, and scintigraphic correlates (Bateman et al.), 413
rupture, postinfarction (Windsor et al.), 755
valves, dura mater, evidence of remodeling in (Allen et al.), 267
Cardioplegia, blood, cold, to protect against coronary microcirculatory injury due to ischemia and reperfusion, use of (McDonagh and Laks), 609
in energy-depleted hearts, with maintenance of arrest by multidose cold blood cardioplegic infusions, benefits of normothermic induction of (Rosenkranz et al.), 667
clear, how should it be administered? Method of rapid arrest with high flow and pressure (Molina et al.), 762
magnesium, experimental evaluation of (Wakabayashi et al.), 685
nifedipine, control of myocardial Ca^{++} sequestration with (Boe et al.), 678
Cardioplegic arrest, experimental, relationship between myocardial temperature and recovery after (Rosenfeldt), 656
in multiple coronary bypass grafting, enhanced protection of myocardial function by systemic deep hypothermia during (Goor et al.), 237
solutions on conductive coronary arteries, effects of (Chiavarelli et al.), 23
Cardiopulmonary bypass. *See* Bypass
Cardiovascular effects of protamine sulfate in man (Shapira et al.), 505
operations, important hemostatic adjunct in: fibrin adhesive (Borst et al.), 548
survival of autotransfused red blood cells recovered from surgical field during (Ansell et al.), 387
Carina, resection of congenital tracheal stenosis involving (Weber et al.), 200
Carney's triad: pulmonary chondroma, extra-adrenal paraganglioma, and gastric leiomyosarcoma (Dajee et al.), 377
Carotid (left) and innominate arteries, traumatic avulsion of: successful repair (Wernly et al.), 392

Volume 84
Number 6
December, 1982

CASS (Coronary Artery Surgery Study), association of sex, physical size, and operative mortality after coronary artery bypass in (Fisher et al.), 334
Catabolism, adenosine, improved functional recovery of ischemic myocardium by suppression of (Humphrey and Seelye), 16
Cava-pulmonary anastomosis, double: orthoterminal correction of congenital heart disease (Lins et al., 633 (brief comm.)
Cavities, pulmonary, coccidioidal, with rupture (Cunningham and Einstein), 172
Cells, red blood, autotransfused, recovered from surgical field during cardiovascular operations, survival of (Ansell et al.), 387
  washed, and procaine in isolated dog heart perfused at 5° C, role of (Suaudeau et al.), 886
Chamber, outlet, subaortic, left anterior, septation of univentricular heart with (McKay et al.), 77
Chest tube insertion and mini-thoracotomy for children with empyema (Raffensperger et al.), 497
Children, acute hepatic failure following cardiac operation in (Jenkins et al.), 865
  early and late postoperative studies in coronary arterial lesions resulting from Kawasaki's disease in (Suma et al.), 224
  with empyema, mini-thoracotomy and chest tube insertion for (Raffensperger et al.), 497
  porcine heterograft valve replacement in (Williams et al.), 446
China, 1940-1980, progress in study and surgical treatment of cancer of esophagus in (Wu et al.), 325 (Honored Guest's Address)
Chondroma, pulmonary, extra-adrenal paraganglioma, and gastric leiomyosarcoma: Carney's triad (Dajee et al.), 377
Chronic traumatic thoracic aneurysm: influence of operative treatment on natural history: analysis of reported cases, 1950-1980 (Finkelmeier et al.), 257
Circulation, extracorporeal, simulated, release of lysosomal hydrolases during (Addonizio et al.), 28
Circulatory arrest, profound hypothermia with: nine years' clinical experience (Tharion et al.), 66
  in treatment of aneurysms of aortic arch, experience with: aortic arch replacement for acute arch dissections (Ergin et al.), 649
  support, mechanical, via left ventricular vent: concept of left ventricular copulsation (Marrin et al.), 426
Circumflex coronary artery in three patients undergoing mitral valve operation, suture obliteration of: role of left dominant or codominant coronary artery (Virmani et al.), 773
Closure of atrial septal defect, residual shunting in early postoperative period after: echocardiographic comparison of patch materials (Valdes-Cruz et al.), 73
Coarctation, subclavian flap repair after mycotic aneurysm of patch repair of (Singh and Reimer), 911 (brief comm.)
Coccidioidal pulmonary cavities with rupture (Cunningham and Einstein), 172
Cold blood cardioplegic infusions, multidose, benefits of normothermic induction of blood cardioplegia in energy-depleted hearts, with maintenance of arrest by (Rosenkranz et al.), 667
Compliance and function, left ventricular, in pulmonary atresia with intact ventricular septum (Sideris et al.), 192
  performance, metabolism, and wall thickness of myocardium, effects of perfusion pressure on: comparison of beating and fibrillating heart (Spadaro et al.), 398
Computed tomography, role of: TNM staging in lung cancer (Modini et al.), 569
Conduction, atrioventricular, by multiple discrete cryolesions, elective prolongation of: new technique for treatment of paroxysmal supraventricular tachycardia (Holman et al.), 554
  defects, left bundle, following aortic valve replacement, prognostic significance of development of (Thomas et al.), 382
Conduit, left ventricular–aortic (Ergin and Griepp), 153 (letter); Reply (Berry and Quaid), 153
  prosthetic, reconstruction of pulmonary outflow tract without (Lecompte et al.), 727
Congenital cyanotic heart defects, classic shunting operations for (Arciniegas et al.), 88
  heart disease, historical aspects of surgery for (Rashkind), 619
    orthoterminal correction of: double cava-pulmonary anastomosis (Lins et al.), 633 (brief comm.)
    malformation, complex, with total exclusion of right heart, surgical treatment of primitive ventricle and: report of case (Kreitmann et al.), 150 (brief comm.)
  obliteration of suprahepatic inferior vena cava: case report (Frimpong-Boateng et al.), 110
  tracheal stenosis involving carina, resection of (Weber et al.), 200
Connection, venous, anomalous, of left lung, left-to-right shunt at atrial level due to: report of seven cases (Bauer et al.), 626
Cooling, myocardial: beneficial effects of topical hypothermia (Laschinger et al.), 807
Copulsation, left ventricular, concept of: mechanical circulatory support via left ventricular vent (Marrin et al.), 426
Coronary angioplasty, transluminal, operative, as adjunct to coronary artery bypass, use of (Wallsh et al.), 843
    percutaneous, unsuccessful, surgical revascularization following (Murphy et al.), 342
  arterial lesions resulting from Kawasaki's disease in children, early and late postoperative studies in (Suma et al.), 224
  artery(ies) bypass in Coronary Artery Surgery Study (CASS), association of sex, physical size, and operative mortality after (Fisher et al.), 334
    grafting, isolated, in patients seventy years of age and older: early and late results (Hochberg et al.), 219
    circumflex, in three patients undergoing mitral valve operation, suture obliteration of: role of left dominant or codominant coronary artery (Virmani et al.), 773
    conductive, effects of cardioplegic solutions on (Chiavarelli et al.), 23
    left main, urgent myocardial revascularization for dissection of: complication of coronary angiography (Connors et al.), 349
  atherosclerosis and idiopathic hypertrophic subaortic stenosis: results of coronary artery bypass alone and myectomy combined with coronary artery bypass (Gill et al.), 856
  bypass grafting, multiple, enhanced protection of myocardial function by systemic deep hypothermia during cardioplegic arrest in (Goor et al.), 237
  microcirculatory injury due to ischemia and reperfusion, use of cold blood cardioplegia to protect against (McDonagh and Laks), 609
  occlusion, acute, limitation of myocardial infarct size after surgical reperfusion for (Wood et al.), 353
  revascularization, left thoracotomy for reoperation for (Faro et al.), 453 (brief comm.)
Correction, transatrial, of origin of both great vessels from right ventricle with pulmonary hypertension (Cherian et al.), 783
  orthoterminal, of congenital heart disease: double cava-pulmonary anastomosis (Lins et al.), 633 (brief comm.)

Correspondence
Consideration of ten-year survivors following pulmonary resection for metastases (Wilkins), 457
Endobronchial blockade (Okadigwe and Garzon), 152
Reply (Ginsberg), 152
Establishment of continuity between right ventricle and hypoplastic pulmonary artery (Litwak), 154
Reply (Puga), 154
Evaluation of myocardial preservation by electron microscopy (Schaper), 457
Reply (Balderman and Binette), 458
Left ventricular–aortic conduit (Ergin and Griepp), 153
Reply (Berry and Quaid), 153
Multiple pulmonary arteriovenous fistulas (Rankin), 933
Reply (Brown et al.), 933
Papaverine hydrochloride preservation of vein grafts (Cunningham), 933
Tricuspid valve abnormalities in DORV with subpulmonic VSD (Huhta et al.), 154
Valve replacement for mitral insufficiency (Spotnitz), 151
Reply (Jones), 151
Vascular rings (Villagrá et al.), 153
Reply (McFaul), 154
Crisis of excellence (Ferguson), 161 (Presidential Address)
Cryolesions, discrete, multiple, elective prolongation of atrioventricular conduction by: new technique for treatment of paroxysmal supraventricular tachycardia (Holman et al.), 554
Cusp disruption by massive lipid infiltration: rare cause of porcine valve dysfunction (Arbustini et al.), 738
Cuspal dehiscence of Ionescu-Shiley valve in mitral position, sudden death due to (Gabbay et al.), 313 (brief comm.)
Cyanotic congenital heart defects, classic shunting operations for (Arciniegas et al.), 88

D

Defect(s), conduction, left bundle, following aortic valve replacement, prognostic significance of development of (Thomas et al.), 382
heart, cyanotic, congenital, classic shunting operations for (Arciniegas et al.), 88
septal, atrial, residual shunting in early postoperative period after closure of: echocardiographic comparison of patch materials (Valdes-Cruz et al.), 73
(canal), atrioventricular, determinants of early and late results of repair of (Studer et al.), 523
ventricular, subpulmonic, tricuspid valve abnormalities in DORV with (Huhta et al.), 154 (letter)
Dehiscence, cuspal, of Ionescu-Shiley valve in mitral position, sudden death due to (Gabbay et al.), 313 (brief comm.)
Design and dynamics of aortic bioprostheses in vivo, analysis of (Thubrikar et al.), 282
Diaphragmatic paralysis, unexplained: harbinger of malignant disease? (Piehler et al.), 861
Discontinuity, aortico–left ventricular, and aortic regurgitation, surgical treatment of: acute endocarditis (Symbas et al.), 291
Disease, heart, congenital, historical aspects of surgery for (Rashkind), 619
orthoterminal correction of: double cava-pulmonary anastomosis (Lins et al.), 633 (brief comm.)
Kawasaki's, in children, early and late postoperative studies in coronary arterial lesions resulting from (Suma et al.), 224
Disease—Cont'd
malignant, harbinger of: unexplained diaphragmatic paralysis (Piehler et al.), 861
Disruption, cusp, by massive lipid infiltration: rare cause of porcine valve dysfunction (Arbustini et al.), 738
tracheobronchial, blunt, illustrated by seven cases, clinical spectrum of (Mills et al.), 49
Dissection(s), arch, acute, aortic arch replacement for: experience with profound hypothermia and circulatory arrest in treatment of aneurysms of aortic arch (Ergin et al.), 649
of left main coronary artery, urgent myocardial revascularization for: complication of coronary angiography (Connors et al.), 349
Dog(s) heart, isolated, perfused at 5° C, role of procaine and washed red cells in (Suaudeau et al.), 886
models of right ventricular overload, concurrent left and right ventricular hypertrophy in (Larson et al.), 543
Newfoundland, with congenital subaortic stenosis, experimental investigation in: regional myocardial blood flow in left ventricular hypertrophy (Borkon et al.), 876
successful revascularization of totally ischemic bronchial autografts with omental pedicle flaps in (Morgan et al.), 204
Double-outlet right ventricle with subpulmonic VSD, tricuspid valve abnormalities in (Huhta et al.), 154 (letter)
and two-chambered right ventricle, coexisting, successful repair of (Judson et al.), 113
Dura mater cardiac valves, evidence of remodeling in (Allen et al.), 267
Dynamics and design of aortic bioprostheses in vivo, analysis of (Thubrikar et al.), 282
Dysfunction, neuropsychological, following elective cardiac operation. I. Early assessment (Savageau et al.), 585
II. Six-month reassessment (Savageau et al.), 595
valve, porcine, rare cause of: cusp disruption by massive lipid infiltration (Arbustini et al.), 738

E

Echocardiographic comparison of patch materials: residual shunting in early postoperative period after closure of atrial septal defect (Valdes-Cruz et al.), 73
Editorial: Pulseless cardiopulmonary bypass (Edmunds), 800
Should we pulse? (Philbin et al.), 805
Elderly: *See* Isolated coronary artery bypass grafting in patients seventy years of age and older: early and late results (Hochberg et al.), 219
Electron microscopy, evaluation of myocardial preservation by (Schaper), 457 (letter); Reply (Balderman and Binette), 458
Electrophysiologically guided procedures versus simple aneurysmectomy: surgical treatment of ventricular tachycardias (Ostermeyer et al.), 704
Empyema, mini-thoracotomy and chest tube insertion for children with (Raffensperger et al.), 497
Endobronchial blockade (Okadigwe and Garzon), 152 (letter); Reply (Ginsberg), 152
and endotracheal irradiation, selective, method for (Boedker et al.), 59
tube, uncuffed, high-frequency ventilation with: new technique for one-lung anesthesia (El-Baz et al.), 832
Endocarditis, acute: surgical treatment of aortic regurgitation and aortico–left ventricular discontinuity (Symbas et al.), 291
infective, active, cardiac operation during: results of aortic, mitral, and double valve replacement in 94 patients (Lewis et al.), 579

Endotracheal and endobronchial irradiation, selective, method for (Boedker et al.), 59
Enlargement, outflow, left ventricular, by Konno procedure (Misbach et al.), 696
patch, of narrow aortic anulus combined with implantation of St. Jude Medical valve (Magovern et al.), 149 (brief comm.)
Errata, 281, 782, 934
Esophageal bypass for unresectable carcinoma of thoracic esophagus, problems in (Sugimachi et al.), 62
Esophagocardiomyotomy, new approach to: report of forty cases (Castrini et al.), 575
Esophagus, cancer of, in China, 1940-1980, progress in study and surgical treatment of (Wu et al.), 325 (Honored Guest's Address)
management of instrumental perforations of (Sarr et al.), 211
thoracic, problems in esophageal bypass for unresectable carcinoma of (Sugimachi et al.), 62
Excellence, crisis of (Ferguson), 161 (Presidential Address)
Exsanguinating hemoptysis (Garzon et al.), 829
Extra-adrenal paraganglioma, pulmonary chondroma, and gastric leiomyosarcoma: Carney's triad (Dajee et al.), 377
Extracorporeal circulation, simulated, release of lysosomal hydrolases during (Addonizio et al.), 28

F

Failure, hepatic, acute, following cardiac operation in children (Jenkins et al.), 865
Fallot, tetralogy of, with absence of pulmonic valve, early medical and surgical intervention for (Arensman et al.), 430
Fibrillating and beating heart, comparison of: effects of perfusion pressure on myocardial performance, metabolism, wall thickness, and compliance (Spadaro et al.), 398
Fibrin adhesive: important hemostatic adjunct in cardiovascular operations (Borst et al.), 548
Fibroma, cardiac: long survival after excision (Williams et al.), 230
Fibrous histiocytoma, malignant, of mediastinum and lung: report of three cases (Mills et al.), 367
Fistulas, arteriovenous, pulmonary, multiple (Rankin), 933 (letter); Reply (Brown et al.), 933
Flap(s) aortoplasty, subclavian, ischemic injury to brachial plexus following (Lawless et al.), 779
muscle, pectoralis major, repair utilizing: late mediastinal infection and pseudoaneurysm following left ventricular aneurysmectomy (Schaff et al.), 912 (brief comm.)
pedicle, omental, in dogs, successful revascularization of totally ischemic bronchial autografts with (Morgan et al.), 204
repair, subclavian, after mycotic aneurysm of patch repair of coarctation (Singh and Reimer), 911 (brief comm.)
Flow, blood, myocardial, regional, in left ventricular hypertrophy: experimental investigation in Newfoundland dogs with congenital subaortic stenosis (Borkon et al.), 876
improved, resulting from correction of steal phenomenon: internal mammary graft (Singh and Magovern), 146 (brief comm.)
and pressure, high, method of rapid arrest with: How should clear cardioplegia be administered? (Molina et al.), 762
pulsatile, thromboxane and prostacyclin changes during cardiopulmonary bypass with and without (Watkins et al.), 250
Fluid, priming, for cardiopulmonary bypass, hydroxyethyl starch in (Sade et al.), 35
Function and compliance, left ventricular, in pulmonary atresia with intact ventricular septum (Sideris et al.), 192
and metabolism, myocardial, effect of temperature during potassium arrest on (Kao et al.), 243
Function—Cont'd
myocardial, regional, after myocardial revascularization, monitoring of (Wiener et al.), 130
by systemic deep hypothermia during cardioplegic arrest in multiple coronary bypass grafting, enhanced protection of (Goor et al.), 237
Functional recovery, improved, of ischemic myocardium by suppression of adenosine catabolism (Humphrey and Seelye), 16
and ultrastructural studies on prolonged myocardial preservation in experimental heart transplant model (Lurie et al.), 122

G

Gastric leiomyosarcoma, pulmonary chondroma, and extra-adrenal paraganglioma: Carney's triad (Dajee et al.), 377
Global myocardial ischemic injury, pulsatile reperfusion does not modify (Silverman et al.), 406
Graft(s), internal mammary: improved flow resulting from correction of steal phenomenon (Singh and Magovern), 146 (brief comm.)
vein, papaverine hydrochloride preservation of (Cunningham), 933 (letter)
Grafting, bypass, artery, coronary, isolated, in patients seventy years of age and older: early and late results (Hochberg et al.), 219
coronary, multiple, enhanced protection of myocardial function by systemic deep hypothermia during cardioplegic arrest in (Goor et al.), 237
Guest Reviewers for The Journal of Thoracic and Cardiovascular Surgery, 799

H

Hall-Kaster prosthesis, intermittent aortic regurgitation following aortic valve replacement with (Antunes et al.), 751
Hancock porcine heterograft, formaldehyde-preserved, longevity of (Bortolotti et al.), 451 (brief comm.)
Heart(s), beating and fibrillating, comparison of: effects of perfusion pressure on myocardial performance, metabolism, wall thickness, and compliance (Spadaro et al.), 398
defects, cyanotic, congenital, classic shunting operations for (Arciniegas et al.), 88
disease, congenital, historical aspects of surgery for (Rashkind), 619
orthoterminal correction of: double cava-pulmonary anastomosis (Lins et al.), 633 (brief comm.)
dog, isolated, perfused at 5° C, role of procaine and washed red cells in (Suaudeau et al.), 886
energy-depleted, with maintenance of arrest by multidose cold blood cardioplegic infusions, benefits of normothermic induction of blood cardioplegia in (Rosenkranz et al.), 667
malformation, congenital, complex, with total exclusion of right heart, surgical treatment of primitive ventricle and: report of case (Kreitman et al.), 150 (brief comm.)
transplant model, experimental, ultrastructural and functional studies on prolonged myocardial preservation in (Lurie et al.), 122
transplantation, changes in indications for: additional argument for preservation of recipient's own heart (Losman et al.), 716
univentricular, with left anterior subaortic outlet chamber, septation of (McKay et al.), 77
Hemoptysis, exsanguinating (Garzon et al.), 829
Hemostatic adjunct, important, in cardiovascular operations: fibrin adhesive (Borst et al.), 548

Hepatic failure, acute, following cardiac operation in children (Jenkins et al.), 865
supra-, inferior vena cava, congenital obliteration of: case report (Frimpong-Boateng et al.), 110
Heterograft, porcine, Hancock, formaldehyde-preserved, longevity of (Bortolotti et al.), 451 (brief comm.)
valve replacement, porcine, in children (Williams et al.), 446
Histiocytoma, fibrous, malignant, of mediastinum and lung: report of three cases (Mills et al.), 367
Histologic type on survival after curative resection for undifferentiated lung cancer, influence of (Mayer et al.), 641
Historical aspects of surgery for congenital heart disease (Rashkind), 619
Honored Guest's Address: Progress in study and surgical treatment of cancer of esophagus in China, 1940-1980 (Wu et al.), 325
Hydrolases, lysosomal, during simulated extracorporeal circulation, release of (Addonizio et al.), 28
Hydroxyethyl starch in priming fluid for cardiopulmonary bypass (Sade et al.), 35
Hypertension, pulmonary, transatrial correction of origin of both great vessels from right ventricle with (Cherian et al.), 783
Hypertrophic pulmonary osteoarthropathy in experimental canine lung cancer (Lavi et al.), 373
subaortic stenosis, idiopathic, and coronary atherosclerosis: results of coronary artery bypass alone and myectomy combined with coronary artery bypass (Gill et al.), 856
Hypertrophied myocardium by preischemic enhancement of adenosine triphosphate, improved tolerance to ischemia in (Peyton et al.), 11
Hypertrophy, left and right ventricular, concurrent, in dog models of right ventricular overload (Larson et al.), 543
ventricular, regional myocardial blood flow in: experimental investigation in Newfoundland dogs with congenital subaortic stenosis (Borkon et al.), 876
Hypoplastic pulmonary artery and right ventricle, establishment of continuity between (Litwak), 154 (letter); Reply (Puga), 154
Hypothermia, deep, systemic, during cardioplegic arrest in multiple coronary bypass grafting, enhanced protection of myocardial function by (Goor et al.), 237
and nifedipine, combined effect of: protection of myocardium against postischemic reperfusion damage (Nayler), 897
profound, with circulatory arrest: nine years' clinical experience (Tharion et al.), 66
in treatment of aneurysms of aortic arch, experience with: aortic arch replacement for acute arch dissections (Ergin et al.), 649
topical, beneficial effects of: myocardial cooling (Laschinger et al.), 807

I

Idiopathic hypertrophic subaortic stenosis and coronary atherosclerosis: results of coronary artery bypass alone and myectomy combined with coronary artery bypass (Gill et al.), 856
Indium 111–labeled platelets during cardiopulmonary bypass performed with membrane and bubble oxygenators, fate of (Peterson et al.), 39
Induction, normothermic, of blood cardioplegia in energy-depleted hearts, with maintenance of arrest by multidose cold blood cardioplegic infusions, benefits of (Rosenkranz et al.), 667
Infancy: *See* Repair of atrioventricular canal malformation in first year of life (Bender et al.), 515
repair of complete common atrioventricular canal in (Chin et al.), 437
Infants, closed transventricular pulmonary valvotomy in: long-term results and effect of size of right ventricle (Daskalopoulos et al.), 187
Infarct size, myocardial, after surgical reperfusion for acute coronary occlusion, limitation of (Wood et al.), 353
Infarction, myocardial, perioperative, caused by atheroembolism (Keon et al.), 849
post-, cardiac rupture (Windsor et al.), 755
Infection, mediastinal, and pseudoaneurysm, late, following left ventricular aneurysmectomy: repair utilizing pectoralis major muscle flap (Schaff et al.), 912 (brief comm.)
Infective endocarditis, active, cardiac operation during: results of aortic, mitral, and double valve replacement in 94 patients (Lewis et al.), 579
Inferior vena cava, suprahepatic, congenital obliteration of: case report (Frimpong-Boateng et al.), 110
Infiltration, lipid, massive, cusp disruption by: rare cause of porcine valve dysfunction (Arbustini et al.), 738
Injury, ischemic, to brachial plexus following subclavian flap aortoplasty (Lawless et al.), 779
myocardial, global, pulsatile reperfusion does not modify (Silverman et al.), 406
microcirculatory, coronary, due to ischemia and reperfusion, use of cold blood cardioplegia to protect against (McDonagh and Laks), 609
reperfusion, etiologic factor for: platelet deposition after surgically induced myocardial ischemia (Feinberg et al.), 815
Innominate and left carotid arteries, traumatic avulsion of: successful repair (Wernly et al.), 392
Instrumental perforations of esophagus, management of (Sarr et al.), 211
Insufficiency, mitral, valve replacement for (Spotnitz), 151 (letter); Reply (Jones), 151
Internal mammary graft: improved flow resulting from correction of steal phenomenon (Singh and Magovern), 146 (brief comm.)
Ionescu-Shiley valve in mitral position, sudden death due to cuspal dehiscence of (Gabbay et al.), 313 (brief comm.)
Iron therapy after cardiac operation: one prescription less? (Del Campo et al.), 631 (brief comm.)
Irradiation, endobronchial and endotracheal, selective, method for (Boedker et al.), 59
Ischemia in hypertrophied myocardium by preischemic enhancement of adenosine triphosphate, improved tolerance to (Peyton et al.), 11
myocardial, surgically induced, platelet deposition after: etiologic factor for reperfusion injury (Feinberg et al.), 815
and reperfusion, use of cold blood cardioplegia to protect against coronary microcirculatory injury due to (McDonagh and Laks), 609
Ischemic injury to brachial plexus following subclavian flap aortoplasty (Lawless et al.), 779
myocardial, global, pulsatile reperfusion does not modify (Silverman et al.), 406
myocardium by suppression of adenosine catabolism, improved functional recovery of (Humphrey and Seelye), 16

K

Kawasaki's disease in children, early and late postoperative studies in coronary arterial lesions resulting from (Suma et al.), 224

Konno procedure, left ventricular outflow enlargement by (Misbach et al.), 696

L

Lead, pacing, temporary, new, for use after cardiac operations (Breivik et al.), 787
Leiomyosarcoma, gastric, pulmonary chondroma, and extra-adrenal paraganglioma: Carney's triad (Dajee et al.), 377
Lesion, pulmonary, nonpalpable, surgical management of radiologically identified but (Lim et al.), 44
Lipid infiltration, massive, cusp disruption by: rare cause of porcine valve dysfunction (Arbustini et al.), 738
Lung cancer, canine, experimental, hypertrophic pulmonary osteoarthropathy in (Lavi et al.), 373
TNM staging in: role of computed tomography (Modini et al.), 569
undifferentiated, influence of histologic type on survival after curative resection for (Mayer et al.), 641
carcinoma of, small cell, surgical resection in management of (Shields et al.), 481
left, left-to-right shunt at atrial level due to anomalous venous connection of: report of seven cases (Bauer et al.), 626
and mediastinum, malignant fibrous histiocytoma of: report of three cases (Mills et al.), 367
one-, anesthesia, new technique for: high-frequency ventilation with uncuffed endobronchial tube (El-Baz et al.), 823
reappraisal of limited-stage undifferentiated carcinoma of: Does Stage I small cell undifferentiated carcinoma exist? (Kron et al.), 734
Lysosomal hydrolases during simulated extracorporeal circulation, release of (Addonizio et al.), 28

M

Magnesium cardioplegia, experimental evaluation of (Wakabayashi et al.), 685
Malformation, canal, atrioventricular, in first year of life, repair of (Bender et al.), 515
heart, congenital, complex, with total exclusion of right heart, surgical treatment of primitive ventricle and: report of case (Kreitmann et al.), 150 (brief comm.)
Malignant disease, harbinger of: unexplained diaphragmatic paralysis (Piehler et al.), 861
fibrous histiocytoma of mediastinum and lung: report of three cases (Mills et al.), 367
Mammary graft, internal: improved flow resulting from correction of steal phenomenon (Singh and Magovern), 146 (brief comm.)
Manpower, surgery, thoracic. Third manpower study of thoracic surgery: 1980 report of Ad Hoc Committee on Manpower of The American Association for Thoracic Surgery and The Society of Thoracic Surgeons (Cleveland et al.), 921
Mechanical circulatory support via left ventricular vent: concept of left ventricular copulsation (Marrin et al.), 426
Mediastinum and lung, malignant fibrous histiocytoma of: report of three cases (Mills et al.), 367
Mesothelioma, pleural, surgical treatment of (McCormack et al.), 834
Metabolism and function, myocardial, effect of temperature during potassium arrest on (Kao et al.), 243
performance, wall thickness, and compliance of myocardium, effects of perfusion pressure on: comparison of beating and fibrillating heart (Spadaro et al.), 398
Metastases, consideration of ten-year survivors following pulmonary resection for (Wilkins), 457 (letter)
Microcirculatory injury, coronary, due to ischemia and reperfusion, use of cold blood cardioplegia to protect against (McDonagh and Laks), 609
Microscopy, electron, evaluation of myocardial preservation by (Schaper), 457 (letter); Reply (Balderman and Binette), 458
Mini-thoracotomy and chest tube insertion for children with empyema (Raffensperger et al.), 497
Mitral, aortic, and double valve replacement in 94 patients, results of: cardiac operation during active infective endocarditis (Lewis et al.), 579
insufficiency, valve replacement for (Spotnitz), 151 (letter); Reply (Jones), 151
position, sudden death due to cuspal dehiscence of Ionescu-Shiley valve in (Gabbay et al.), 313 (brief comm.)
valve operation, suture obliteration of circumflex coronary artery in three patients undergoing: role of left dominant or codominant coronary artery (Virmani et al.), 773
potentially parachute, in common atrioventricular canal: pathological anatomy and surgical importance (David et al.), 178
replacements, isolated, 387, by Model 6120 Starr-Edwards prosthesis, review of (Sala et al.), 744
Monitoring, pressure, left ventricular, direct, in select patients after cardiac operations (Selle et al.), 145 (brief comm.)
regional myocardial function after myocardial revascularization (Wiener et al.), 130
Muscle flap, pectoralis major, repair utilizing: late mediastinal infection and pseudoaneurysm following left ventricular aneurysmectomy (Schaff et al.), 912 (brief comm.)
Mycotic aneurysm of patch repair of coarctation, subclavian flap repair after (Singh and Reimer), 911 (brief comm.)
Myectomy combined with coronary artery bypass and coronary artery bypass alone, results of: idiopathic hypertrophic subaortic stenosis and coronary atherosclerosis (Gill et al.), 856
Myocardial blood flow, regional, in left ventricular hypertrophy: experimental investigation in Newfoundland dogs with congenital subaortic stenosis (Borkon et al.), 876
Ca^{++} sequestration with nifedipine cardioplegia, control of (Boe et al.), 678
cooling: beneficial effects of topical hypothermia (Laschinger et al.), 807
function, regional, after myocardial revascularization, monitoring of (Wiener et al.), 130
by systemic deep hypothermia during cardioplegic arrest in multiple coronary bypass grafting, enhanced protection of (Goor et al.), 237
infarct size after surgical reperfusion for acute coronary occlusion, limitation of (Wood et al.), 353
infarction, perioperative, caused by atheroembolism (Keon et al.), 849
ischemia, surgically induced, platelet deposition after: etiologic factor for reperfusion injury (Feinberg et al.), 815
ischemic injury, global, pulsatile reperfusion does not modify (Silverman et al.), 406
metabolism and function, effect of temperature during potassium arrest on (Kao et al.), 243
performance, metabolism, wall thickness, and compliance, effects of perfusion pressure on: comparison of beating and fibrillating heart (Spadaro et al.), 398
preservation by electron microscopy, evaluation of (Schaper), 457 (letter); Reply (Balderman and Binette), 458
prolonged, in experimental heart transplant model, functional and ultrastructural studies on (Lurie et al.), 122

Myocardial—Cont'd
protection, successful, influence on: adequacy of perfusate (Christlieb and Clark), 689
revascularization, management of calcified aorta during (Landymore et al.), 455 (brief comm.)
urgent, for dissection of left main coronary artery: complication of coronary angiography (Connors et al.), 349
temperature and recovery after experimental cardioplegic arrest, relationship between (Rosenfeldt), 656
Myocardium, hypertrophied, by preischemic enhancement of adenosine triphosphate, improved tolerance to ischemia in (Peyton et al.), 11
ischemic, by suppression of adenosine catabolism, improved functional recovery of (Humphrey and Seelye), 16
against postischemic reperfusion damage, protection of: combined effect of hypothermia and nifedipine (Nayler), 897

N

Neuropsychological dysfunction following elective cardiac operation. I. Early assessment (Savageau et al.), 585
II. Six-month reassessment (Savageau et al.), 595
Nifedipine in cardiac operations (Nijsen-Karelse et al.), 145 (brief comm.)
cardioplegia, control of myocardial Ca^{++} sequestration with (Boe et al.), 678
and hypothermia, combined effect of: protection of myocardium against postischemic reperfusion damage (Nayler), 897
Nonpalpable pulmonary lesion, surgical management of radiologically identified but (Lim et al.), 44
Normothermic induction of blood cardioplegia in energy-depleted hearts, with maintenance of arrest by multidose cold blood cardioplegic infusions, benefits of (Rosenkranz et al.), 667

O

Obituary: Alton Ochsner (1896-1981), 1
Obliteration, congenital, of suprahepatic inferior vena cava: case report (Frimpong-Boateng et al.), 110
suture, of circumflex coronary artery in three patients undergoing mitral valve operation: role of left dominant or codominant coronary artery (Virmani et al.), 773
Obstruction, outflow, left ventricular, and transposition of great arteries, repair of common atrioventricular canal associated with (Alfieri and Plokker), 872
Occlusion, coronary, acute, limitation of myocardial infarct size after surgical reperfusion for (Wood et al.), 353
Ochsner, Alton (1896-1981), 1 (obit.)
Omental pedicle flaps in dogs, successful revascularization of totally ischemic bronchial autografts with (Morgan et al.), 204
One-lung anesthesia, new technique for: high-frequency ventilation with uncuffed endobronchial tube (El-Baz et al.), 823
Operation(s), cardiac, elective, neuropsychological dysfunction following. I. Early assessment (Savageau et al.), 585
II. Six-month reassessment (Savageau et al.), 595
iron therapy after: one prescription less? (Del Campo et al.), 631 (brief comm.)
nifedipine in (Nijsen-Karelse et al.), 145 (brief comm.)
cardiovascular, important hemostatic adjunct in: fibrin adhesive (Borst et al.), 548
shunting, classic, for congenital cyanotic heart defects (Arciniegas et al.), 88
Orthoterminal correction of congenital heart disease: double cava-pulmonary anastomosis (Lins et al.), 633 (brief comm.)
Osteoarthropathy, pulmonary, hypertrophic, in experimental canine lung cancer (Lavi et al.), 373
Outflow enlargement, left ventricular, by Konno procedure (Misbach et al.), 696
tract, pulmonary, without prosthetic conduit, reconstruction of (Lecompte et al.), 727
Outlet chamber, subaortic, left anterior, septation of univentricular heart with (McKay et al.), 77
Overload, right ventricular, concurrent left and right ventricular hypertrophy in dog models of (Larson et al.), 543
Oxygenators, membrane and bubble, fate of indium 111–labeled platelets during cardiopulmonary bypass performed with (Peterson et al.), 39

P

Pacing lead, temporary, new, for use after cardiac operations (Breivik et al.), 787
Papaverine hydrochloride preservation of vein grafts (Cunningham), 933 (letter)
Parachute mitral valve, potentially, in common atrioventricular canal: pathological anatomy and surgical importance (David et al.), 178
Paraganglioma, extra-adrenal, pulmonary chondroma, and gastric leiomyosarcoma: Carney's triad (Dajee et al.), 377
Paralysis, diaphragmatic, unexplained: harbinger of malignant disease? (Piehler et al.), 861
Paraplegic man, aortic valve replacement in (Begelman and Anderson), 314 (brief comm.)
Patch enlargement of narrow aortic anulus combined with implantation of St. Jude Medical valve (Magovern et al.), 149 (brief comm.)
materials, echocardiographic comparison of: residual shunting in early postoperative period after closure of atrial septal defect (Valdes-Cruz et al.), 73
Pedicle flaps, omental, in dogs, successful revascularization of totally ischemic bronchial autografts with (Morgan et al.), 204
Percutaneous transluminal coronary angioplasty, unsuccessful, surgical revascularization following (Murphy et al.), 342
Perforations, instrumental, of esophagus, management of (Sarr et al.), 211
Perfusate, adequacy of: influence on successful myocardial protection (Christlieb and Clark), 689
Perfusion pressure on myocardial performance, metabolism, wall thickness, and compliance, effects of: comparison of beating and fibrillating heart (Spadaro et al.), 398
Perfusionist affairs, proposed statement on, 636
Platelet(s) deposition after surgically induced myocardial ischemia: etiologic factor for reperfusion injury (Feinberg et al.), 815
indium 111–labeled, during cardiopulmonary bypass performed with membrane and bubble oxygenators, fate of (Peterson et al.), 39
Pleural mesothelioma, surgical treatment of (McCormack et al.), 834
Plexus, brachial, following subclavian flap aortoplasty, ischemic injury to (Lawless et al.), 779
Pneumonectomy, sleeve, tracheal, for bronchogenic carcinoma, survival in patients undergoing (Jensik et al.), 489
Porcine heterograft, Hancock, formaldehyde-preserved, longevity of (Bortolotti et al.), 451 (brief comm.)
valve replacement in children (Williams et al.), 446

Porcine—Cont'd
valve dysfunction, rare cause of: cusp disruption by massive lipid infiltration (Arbustini et al.), 738
xenograft, Angell-Shiley, hemodynamic evaluation of (Delcan et al.), 297
Postinfarction cardiac rupture (Windsor et al.), 755
Potassium arrest on myocardial metabolism and function, effect of temperature during (Kao et al.), 243
Preservation, myocardial, by electron microscopy, evaluation of (Schaper), 457 (letter); Reply (Balderman and Binette), 458
prolonged, in experimental heart transplant model, functional and ultrastructural studies on (Lurie et al.), 122
of recipient's own heart, additional argument for: changes in indications for heart transplantation (Losman et al.), 716
of vein grafts, papaverine hydrochloride (Cunningham), 933 (letter)
Presidential Address: Crisis of excellence (Ferguson), 161
Pressure and flow, high, method of rapid arrest with: How should clear cardioplegia be administered? (Molina et al.), 762
monitoring, left ventricular, direct, in select patients after cardiac operations (Selle et al.), 145 (brief comm.)
perfusion, on myocardial performance, metabolism, wall thickness, and compliance, effects of: comparison of beating and fibrillating heart (Spadaro et al.), 398
pulmonary capillary wedge, when compared to left atrial pressure in early postsurgical period, inaccuracy of (Mammana et al.), 420
Priming fluid for cardiopulmonary bypass, hydroxyethyl starch in (Sade et al.), 35
Primitive ventricle and complex congenital heart malformation with total exclusion of right heart, surgical treatment of: report of case (Kreitmann et al.), 150 (brief comm.)
Procaine and washed red cells in isolated dog heart perfused at 5° C, role of (Suaudeau et al.), 886
Procedure(s), electrophysiologically guided, versus simple aneurysmectomy: surgical treatment of ventricular tachycardias (Ostermeyer et al.), 704
Konno, left ventricular outflow enlargement by (Misbach et al.), 696
Prostacyclin in cardiopulmonary bypass operations (Faichney et al.), 601
and thromboxane changes during cardiopulmonary bypass with and without pulsatile flow (Watkins et al.), 250
Prosthesis, Björk-Shiley, thrombosed, surgical treatment of: thrombectomy. Report of seven cases and review of literature (Alvarez Ayuso et al.), 906
thrombosis of: illustrative cases and review of literature (Wright et al.), 138
Hall-Kaster, intermittent aortic regurgitation following aortic valve replacement with (Antunes et al.), 751
Starr-Edwards, Model 6120, review of 387 isolated mitral valve replacements by (Sala et al.), 744
Prosthetic conduit, reconstruction of pulmonary outflow tract without (Lecompte et al.), 727
replacement for thoracic vena cava: experimental study (Fiore et al.), 560
Protamine sulfate in man, cardiovascular effects of (Shapira et al.), 505
Protection, enhanced, of myocardial function by systemic deep hypothermia during cardioplegic arrest in multiple coronary bypass grafting (Goor et al.), 237
myocardial, successful, influence on: adequacy of perfusate (Christlieb and Clark), 689
Protection—Cont'd
of myocardium against postischemic reperfusion damage: combined effect of hypothermia and nifedipine (Nayler), 897
Pseudoaneurysm and mediastinal infection, late, following left ventricular aneurysmectomy: repair utilizing pectoralis major muscle flap (Schaff et al.), 912 (brief comm.)
Pulmonary arteriovenous fistulas, multiple (Rankin), 933 (letter); Reply (Brown et al.), 933
artery, hypoplastic, and right ventricle, establishment of continuity between (Litwak), 154 (letter); Reply (Puga), 154
atresia with intact ventricular septum, left ventricular function and compliance in (Sideris et al.), 192
capillary wedge pressure when compared to left atrial pressure in early postsurgical period, inaccuracy of (Mammana et al.), 420
cava-, anastomosis, double: orthoterminal correction of congenital heart disease (Lins et al.), 633 (brief comm.)
cavities, coccidioidal, with rupture (Cunningham and Einstein), 172
chondroma, extra-adrenal paraganglioma, and gastric leiomyosarcoma: Carney's triad (Dajee et al.), 377
hypertension, transatrial correction of origin of both great vessels from right ventricle with (Cherian et al.), 783
lesion, nonpalpable, surgical management of radiologically identified but (Lim et al.), 44
osteoarthropathy, hypertrophic, in experimental canine lung cancer (Lavi et al.), 373
outflow tract without prosthetic conduit, reconstruction of (Lecompte et al.), 727
resection for metastases, consideration of ten-year survivors following (Wilkins), 457 (letter)
scar carcinoma, prognosis of (Ochs et al.), 359
valvotomy, transventricular, closed, in infants: long-term results and effect of size of right ventricle (Daskalopoulos et al.), 187
Pulmonic, sub-, VSD, tricuspid valve abnormalities in DORV with (Huhta et al.), 154 (letter)
valve, early medical and surgical intervention for tetralogy of Fallot with absence of (Arensman et al.), 430
Pulsatile cardiopulmonary bypass. *See* Should we pulse? (Philbin et al.), 805 (edit.)
flow, thromboxane and prostacyclin changes during cardiopulmonary bypass with and without (Watkins et al.), 250
reperfusion does not modify global myocardial ischemic injury (Silverman et al.), 406
Pulse, should we (Philbin et al.), 805 (edit.)
Pulseless cardiopulmonary bypass (Edmunds), 800 (edit.)

R

Radiologically identified but nonpalpable pulmonary lesions, surgical management of (Lim et al.), 44
Reconstruction of pulmonary outflow tract without prosthetic conduit (Lecompte et al.), 727
Recovery, functional, improved, of ischemic myocardium by suppression of adenosine catabolism (Humphrey and Seelye), 16
Red blood cells, autotransfused, recovered from surgical field during cardiovascular operations, survival of (Ansell et al.), 387
cells, washed, and procaine in isolated dog heart perfused at 5° C, role of (Suaudeau et al.), 886
Regurgitation, aortic, and aortico–left ventricular discontinuity, surgery of: acute endocarditis (Symbas et al.), 291

Regurgitation, aortic—Cont'd
intermittent, following aortic valve replacement with Hall-Kaster prosthesis (Antunes et al.), 751
Remodeling in dura mater cardiac valves, evidence of (Allen et al.), 267
Repair of atrioventricular canal malformation in first year of life (Bender et al.), 515
septal (canal) defects, determinants of early and late results of (Studer et al.), 523
of common atrioventricular canal associated with transposition of great arteries and left ventricular outflow obstruction (Alfieri and Plokker), 872
of complete common atrioventricular canal in infancy (Chin et al.), 437
early, of posterior ventricular septal rupture, surgical technique for (Daggett), 306 (curr. tech.)
subclavian flap, after mycotic aneurysm of patch repair of coarctation (Singh and Reimer), 911 (brief comm.)
successful, of coexisting double-outlet right ventricle and two-chambered right ventricle (Judson et al.), 113
utilizing pectoralis major muscle flap: late mediastinal infection and pseudoaneurysm following left ventricular aneurysmectomy (Schaff et al.), 912 (brief comm.)
Reperfusion damage, postischemic, protection of myocardium against: combined effect of hypothermia and nifedipine (Nayler), 897
injury, etiologic factor for: platelet deposition after surgically induced myocardial ischemia (Feinberg et al.), 815
and ischemia, use of cold blood cardioplegia to protect against coronary microcirculatory injury due to (McDonagh and Laks), 609
pulsatile, does not modify global myocardial ischemic injury (Silverman et al.), 406
surgical, for acute coronary occlusion, limitation of myocardial infarct size after (Wood et al.), 353
Replacement, aortic arch, for acute arch dissections: experience with profound hypothermia and circulatory arrest in treatment of aneurysms of aortic arch (Ergin et al.), 649
prosthetic, for thoracic vena cava: experimental study (Fiore et al.), 560
Replacement, valve. *See* Valve
Resection of congenital tracheal stenosis involving carina (Weber et al.), 200
curative, for undifferentiated lung cancer, influence of histologic type on survival after (Mayer et al.), 641
pulmonary, for metastases, consideration of ten-year survivors following (Wilkins), 457 (letter)
surgical, in management of small cell carcinoma of lung (Shields et al.), 481
Revascularization, coronary, left thoracotomy for reoperation for (Faro et al.), 453 (brief comm.)
myocardial, management of calcified aorta during (Landymore et al.), 455 (brief comm.)
monitoring regional myocardial function after (Wiener et al.), 130
urgent, for dissection of left main coronary artery: complication of coronary angiography (Connors et al.), 349
successful, of totally ischemic bronchial autografts with omental pedicle flaps in dogs (Morgan et al.), 204
surgical, following unsuccessful percutaneous transluminal coronary angioplasty (Murphy et al.), 342
Rings, vascular (Villagrá et al.), 153 (letter); Reply (McFaul), 154
Rupture, cardiac, postinfarction (Windsor et al.), 755
Rupture—Cont'd
coccidioidal pulmonary cavities with (Cunningham and Einstein), 172
septal, ventricular, posterior, surgical technique for early repair of (Daggett), 306 (curr. tech.)

S

Samson Thoracic Surgical Society: Announcement of 1983 Annual Meeting, 159, 323, 479, 639, 797, 937
Scar carcinoma, pulmonary, prognosis of (Ochs et al.), 359
Septal (canal) defects, atrioventricular, determinants of early and late results of repair of (Studer et al.), 523
rupture, ventricular, posterior, surgical technique for early repair of (Daggett), 306 (curr. tech.)
Septation of univentricular heart with left anterior subaortic outlet chamber (McKay et al.), 77
Septum, ventricular, intact, left ventricular function and compliance in pulmonary atresia with (Sideris et al.), 192
Sex, physical size, and operative mortality after coronary artery bypass in Coronary Artery Surgery Study (CASS), association of (Fisher et al.), 334
Shunt, left-to-right, at atrial level due to anomalous venous connection of left lung: report of seven cases (Bauer et al.), 626
Shunting operations, classic, for congenital cyanotic heart defects (Arciniegas et al.), 88
residual, in early postoperative period after closure of atrial septal defect: echocardiographic comparison of patch materials (Valdez-Cruz et al.), 73
Sleeve pneumonectomy, tracheal, for bronchogenic carcinoma, survival in patients undergoing (Jensik et al.), 489
Small cell carcinoma of lung, surgical resection in management of (Shields et al.), 481
undifferentiated carcinoma, Stage I, does it exist? Reappraisal of limited-stage undifferentiated carcinoma of lung (Kron et al.), 734
Solutions, cardioplegic, on conductive coronary arteries, effects of (Chiavarelli et al.), 23
St. Jude Medical valve, patch enlargement of narrow aortic anulus combined with implantation of (Magovern et al.), 149 (brief comm.)
Stage I small cell undifferentiated carcinoma, does it exist? Reappraisal of limited-stage undifferentiated carcinoma of lung (Kron et al.), 734
Staging, TNM, in lung cancer: role of computed tomography (Modini et al.), 569
Starch, hydroxyethyl, in priming fluid for cardiopulmonary bypass (Sade et al.), 35
Starr-Edwards prosthesis, Model 6120, review of 387 isolated mitral valve replacements by (Sala et al.), 744
Statement, proposed, on perfusionist affairs, 636
Steal phenomenon, improved flow resulting from correction of: internal mammary graft (Singh and Magovern), 146 (brief comm.)
Stenosis, subaortic, congenital, experimental investigation in Newfoundland dogs with: regional myocardial blood flow in left ventricular hypertrophy (Borkon et al.), 876
discrete, technique for relief of (McKay and Ross), 917 (curr. tech.)
hypertrophic, idiopathic, and coronary atherosclerosis: results of coronary artery bypass alone and myectomy combined with coronary artery bypass (Gill et al.), 856

Stenosis—Cont'd
tracheal, congenital, involving carina, resection of (Weber et al.), 200
Subaortic outlet chamber, left anterior, septation of univentricular heart with (McKay et al.), 77
Subclavian flap aortoplasty, ischemic injury to brachial plexus following (Lawless et al.), 779
repair after mycotic aneurysm of patch repair of coarctation (Singh and Reimer), 911 (brief comm.)
Subpulmonic VSD, tricuspid valve abnormalities in DORV with (Huhta et al.), 154 (letter)
Sulfate, protamine, in man, cardiovascular effects of (Shapira et al.), 505
Support, circulatory, mechanical, via left ventricular vent: concept of left ventricular copulsation (Marrin et al.), 426
Suprahepatic inferior vena cava, congenital obliteration of: case report (Frimpong-Boateng et al.), 110
Supraventricular tachycardia, paroxysmal, new technique for treatment of: elective prolongation of atrioventricular conduction by multiple discrete cryolesions (Holman et al.), 554
Surgery manpower, thoracic. Third manpower study of thoracic surgery: 1980 report of Ad Hoc Committee on Manpower of The American Association for Thoracic Surgery and The Society of Thoracic Surgeons (Cleveland et al.), 921
Suture obliteration of circumflex coronary artery in three patients undergoing mitral valve operation: role of left dominant or codominant coronary artery (Virmani et al.), 773

T

Tachycardia(s), supraventricular, paroxysmal, new technique for treatment of: elective prolongation of atrioventricular conduction by multiple discrete cryolesions (Holman et al.), 554
ventricular, surgical treatment of: simple aneurysmectomy versus electrophysiologically guided procedures (Ostermeyer et al.), 704
Tamponade, right atrial, complicating cardiac operation: clinical, hemodynamic, and scintigraphic correlates (Bateman et al.), 413
Temperature, myocardial, and recovery after experimental cardioplegic arrest, relationship between (Rosenfeldt), 656
during potassium arrest on myocardial metabolism and function, effect of (Kao et al.), 243
Temporary pacing lead, new, for use after cardiac operations (Breivik et al.), 787
Tetralogy of Fallot with absence of pulmonic valve, early medical and surgical intervention for (Arensman et al.), 430
Thickness, wall, left ventricular, in complete transposition of great arteries (Huhta et al.), 97
Third manpower study of thoracic surgery: 1980 report of Ad Hoc Committee on Manpower of The American Association for Thoracic Surgery and The Society of Thoracic Surgeons. Thoracic surgery manpower (Cleveland et al.), 921
Thoracic aneurysm, traumatic, chronic: influence of operative treatment on natural history: analysis of reported cases, 1950-1980 (Finkelmeier et al.), 257
esophagus, problems in esophageal bypass for unresectable carcinoma of (Sugimachi et al.), 62
Thoracic—Cont'd
surgery manpower. Third manpower study of thoracic surgery: 1980 report of Ad Hoc Committee on Manpower of The American Association for Thoracic Surgery and The Society of Thoracic Surgeons (Cleveland et al.), 921
vena cava, prosthetic replacement for: experimental study (Fiore et al.), 560
Thoracotomy, left, for reoperation for coronary revascularization (Faro et al.), 453 (brief comm.)
mini-, and chest tube insertion for children with empyema (Raffensperger et al.), 497
Thrombectomy: surgical treatment of thrombosed Björk-Shiley prosthesis. Report of seven cases and review of literature (Alvarez Ayuso et al.), 906
Thrombosis of Björk-Shiley prosthesis: illustrative cases and review of literature (Wright et al.), 138
Thromboxane and prostacyclin changes during cardiopulmonary bypass with and without pulsatile flow (Watkins et al.), 250
TNM staging in lung cancer: role of computed tomography (Modini et al.), 569
Tomography, computed, role of: TNM staging in lung cancer (Modini et al.), 569
Topical hypothermia, beneficial effects of: myocardial cooling (Laschinger et al.), 807
Tracheal sleeve pneumonectomy for bronchogenic carcinoma, survival in patients undergoing (Jensik et al.), 489
stenosis, congenital, involving carina, resection of (Weber et al.), 200
Tracheobronchial disruption, blunt, illustrated by seven cases, clinical spectrum of (Mills et al.), 49
Tract, outflow, pulmonary, without prosthetic conduit, reconstruction of (Lecompte et al.), 727
Transatrial correction of origin of both great vessels from right ventricle with pulmonary hypertension (Cherian et al.), 783
Transplant model, heart, experimental, ultrastructural and functional studies on prolonged myocardial preservation in (Lurie et al.), 122
Transplantation, heart, changes in indications for: additional argument for preservation of recipient's own heart (Losman et al.), 716
Transposition of great arteries, complete, left ventricular wall thickness in (Huhta et al.), 97
and left ventricular outflow obstruction, repair of common atrioventricular canal associated with (Alfieri and Plokker), 872
Transventricular pulmonary valvotomy, closed, in infants: long-term results and effect of size of right ventricle (Daskalopoulos et al.), 187
Traumatic avulsion of innominate and left carotid arteries: successful repair (Wernly et al.), 392
thoracic aneurysm, chronic: influence of operative treatment on natural history: analysis of reported cases, 1950-1980 (Finkelmeier et al.), 257
Triad, Carney's: pulmonary chondroma, extra-adrenal paraganglioma, and gastric leiomyosarcoma (Dajee et al.), 377
Tricuspid valve abnormalities in DORV with subpulmonic VSD (Huhta et al.), 154 (letter)
Tube, endobronchial, uncuffed, high-frequency ventilation with: new technique for one-lung anesthesia (El-Baz et al.), 832
insertion, chest, and mini-thoracotomy for children with empyema (Raffensperger et al.), 497

Tunnel, aortico–left ventricular: collective review (Levy et al.), 102
Two-chambered right ventricle and double-outlet right ventricle, coexisting, successful repair of (Judson et al.), 113

U

Ultrastructural and functional studies on prolonged myocardial preservation in experimental heart transplant model (Lurie et al.), 122
Undifferentiated carcinoma, limited-stage, of lung, reappraisal of: Does Stage I small cell undifferentiated carcinoma exist? (Kron et al.), 734
lung cancer, influence of histologic type on survival after curative resection for (Mayer et al.), 641
Univentricular heart with left anterior subaortic outlet chamber, septation of (McKay et al.), 77
Unresectable carcinoma of thoracic esophagus, problems in esophageal bypass for (Sugimachi et al.), 62

V

Valve(s) abnormalities, tricuspid, in DORV with subpulmonic VSD (Huhta et al.), 154 (letter)
cardiac, dura mater, evidence of remodeling in (Allen et al.), 267
dysfunction, porcine, rare cause of: cusp disruption by massive lipid infiltration (Arbustini et al.), 738
Ionescu-Shiley, in mitral position, sudden death due to cuspal dehiscence of (Gabbay et al.), 313 (brief comm.)
mitral, potentially parachute, in common atrioventricular canal: pathological anatomy and surgical importance (David et al.), 178
operation, mitral, suture obliteration of circumflex coronary artery in three patients undergoing: role of left dominant or codominant coronary artery (Virmani et al.), 773
pulmonic, early medical and surgical intervention for tetralogy of Fallot with absence of (Arensman et al.), 430
replacement(s), aortic, with Hall-Kaster prosthesis, intermittent aortic regurgitation following (Antunes et al.), 751
mitral, and double, in 94 patients, results of: cardiac operation during active infective endocarditis (Lewis et al.), 579
in paraplegic man (Begelman and Anderson), 314 (brief comm.)
prognostic significance of development of left bundle conduction defects following (Thomas et al.), 382
heterograft, porcine, in children (Williams et al.), 446
for mitral insufficiency (Spotnitz), 151 (letter); Reply (Jones), 151
isolated, 387, by Model 6120 Starr-Edwards prosthesis, review of (Sala et al.), 744
St. Jude Medical, patch enlargement of narrow aortic anulus combined with implantation of (Magovern et al.), 149 (brief comm.)
Valvotomy, pulmonary, transventricular, closed, in infants: long-term results and effect of size of right ventricle (Daskalopoulos et al.), 187
Vascular rings (Villagrá et al.), 153 (letter); Reply (McFaul), 154
Vena cava, inferior, suprahepatic, congenital obliteration of: case report (Frimpong-Boateng et al.), 110
thoracic, prosthetic replacement for: experimental study (Fiore et al.), 560
Venous connection, anomalous, of left lung, left-to-right shunt at atrial level due to: report of seven cases (Bauer et al.), 626
Vent, left ventricular, mechanical circulatory support via: concept of left ventricular copulsation (Marrin et al.), 426
Ventilation, high-frequency, with uncuffed endobronchial tube: new technique for one-lung anesthesia (El-Baz et al.), 823
Ventricle, primitive, and complex congenital heart malformation with total exclusion of right heart, surgical treatment of: report of case (Kreitmann et al.), 150 (brief comm.)
right, double-outlet, with subpulmonic VSD, tricuspid valve abnormalities in (Huhta et al.), 154 (letter)
and two-chambered right ventricle, coexisting, successful repair of (Judson et al.), 113
and hypoplastic pulmonary artery, establishment of continuity between (Litwak), 154 (letter); Reply (Puga), 154
long-term results and effect of size of: closed transventricular pulmonary valvotomy in infants (Daskalopoulos et al.), 187
with pulmonary hypertension, transatrial correction of origin of both great vessels from (Cherian et al.), 783
Ventricular aneurysmectomy, left, late mediastinal infection and pseudoaneurysm following: repair utilizing pectoralis major muscle flap (Schaff et al.), 912 (brief comm.)
–aortic conduit, left (Ergin and Griepp), 153 (letter); Reply (Berry and Quaid), 153
discontinuity, aortico–left, and aortic regurgitation, surgical treatment of: acute endocarditis (Symbas et al.), 291
hypertrophy, left, regional myocardial blood flow in: experimental investigation in Newfoundland dogs with congenital subaortic stenosis (Borkon et al.), 876
and right, concurrent, in dog models of right ventricular overload (Larson et al.), 543
outflow enlargement, left, by Konno procedure (Misbach et al.), 696
obstruction, left, and transposition of great arteries, repair of common atrioventricular canal associated with (Alfieri and Plokker), 872
pressure monitoring, left, direct, in select patients after cardiac operations (Selle et al.), 145 (brief comm.)
septal defect, subpulmonic, tricuspid valve abnormalities in DORV with (Huhta et al.), 154 (letter)
rupture, posterior, surgical technique for early repair of (Daggett), 306 (curr. tech.)
septum, intact, left ventricular function and compliance in pulmonary atresia with (Sideris et al.), 192
tachycardias, surgical treatment of: simple aneurysmectomy versus electrophysiologically guided procedures (Ostermeyer et al.), 704
tunnel, aortico–left: collective review (Levy et al.), 102
vent, left, mechanical circulatory support via: concept of left ventricular copulsation (Marrin et al.), 426
wall thickness, left, in complete transposition of great arteries (Huhta et al.), 97
Vessels, great, both, from right ventricle with pulmonary hypertension, transatrial correction of origin of (Cherian et al.), 783

W

Wall thickness, left ventricular, in complete transposition of great arteries (Huhta et al.), 97
performance, metabolism, and compliance of myocardium, effects of perfusion pressure on: comparison of beating and fibrillating heart (Spadaro et al.), 398

X

Xenograft, porcine, Angell-Shiley, hemodynamic evaluation of (Delcan et al.), 297